This document presents standards, guidelines and evaluation formats for implementation of the requirements of CGS Section 16a-38, regulations concerning energy use in State buildings. It supersedes two previous documents titled: "Energy Systems Life Cycle Cost Analysis for Building Project Funded By The State of Connecticut" which took effect on January 1, 1986; and "Energy Performance Goals For New and Existing State-Owner and Leased Buildings", which took effect on January 1, 1986.

An important consideration for design professionals is that they explore fully all reasonable viable alternate designs which might contribute to energy conservation.

#### REFERENCES

While the intention of these guidelines is to give as much flexibility as possible to the person preparing the analysis, certain codes and standards must be consulted. Some of these are:

- 1. Latest edition of the State of Connecticut Building Code.
- 2. ASHRAE/IES Standard 90.1-1989 W/User's Guide
- 3. Life Cycle Cost Manual For the Federal Energy Management Program-NBS Handbook 135

### SUBMISSION OF LIFE CYCLE COST ANALYSIS

Department of Public Works' Projects shall have all required LCCA submittals through the appropriate DFW Agency Team Member. The DFW Team will transmit the original copy of the Life Cycle Cost Analysis (once approved by DFW Engineering) to the Director of Energy, Office of Policy and Management for their approval.

All State Funded projects such as, Schools, shall submit all necessary forms to the Department of Public Works, Engineering 165 Capitol Avenue, Hartford, CT 06106, Room 460 Attn. Chief Engineer, with a complete copy to the Director of Energy, Office of Policy and Management, 80 Washington Street, Hartford, CT 06106.

A Life Cycle Cost Analysis (LCCA) Determination Form (designrev 195) shall be submitted within 30 days after the scope meeting with the Agency or Town Building Committee. This form shall be reviewed by the Department of Public Works and shall inform the A/E whether a Life Cycle is required or not. The form is located in the A/E Manual Chapter 2 Page 18, and the back of this document.

If a LCCA is required, 3 copies shall be submitted in separate bound package along with Schematic Design documents. DFW shall review the documents for the intent to select the appropriate systems for the building by comparing 3 conventional systems based on Life Cycle Cost, initial Capitol Costs, Fuel Usage, Fuel Costs, Operating and Maintenance Costs. All systems being compared shall adhere to the Energy Standards adopted by the State of Connecticut.

The Director of Energy of the Office of Policy and Management (OPM) will review the documents for compliancy with the OPM/State Energy Policy and passive solar. OPM will be required to notify DPW in writing with approval, disapproval or comments in 30 days.

#### INCUIRIES

Questions regarding the preparation of a Life Cycle Cost Analysis may be directed to the Chief Engineer, Department of Public Works, Design and Review at (860) 566-5044.

### DISCUSSION

The purpose of this document is to ensure the projects compliance with the State's energy policies regarding both Energy Performance Standards and Life Cycle Cost Analysis. The LCCA requires written approval from the Department of Public Works and the Office of Policy and Management, Energy Division. An additional goal is to provide specific design phase and construction phase energy related data on the plans to improve communication among various Design Team Members.

The objectives of this process are to ensure that:

- 1. The passive solar aspects of the building's sitting, glazing and envelope have been evaluated to maximize passive solar benefits.
- 2. The Life Cycle Cost Analysis evaluates appropriate systems for the building design considering the program requirements and how the equipment will be best utilized to reduce and simplify maintainance.
- 3. Energy management control systems will be used where appropriate.
- 4. This facility's energy systems must also consider the adjacent State facilities. How does this building's energy consumption and billing rates relate to other facilities on this State campus? Does/should the campus have primary metering? Is there a central boiler/chiller plant? Should there be appropriate mechanisms for load shedding or co-generation.

The objective is to build a <u>non-experimental</u>, but modern energy conscious and environmentally appropriate building that minimizes to the extent practical the energy consumption and utility costs over the expected life of the building and its mechanical systems.

The process requires a team effort between the owner, the architect, and the mechanical and electrical engineers with proper discussion and evaluation of alternatives involving both the Agency's and DPW's staff.

The design goals and as constructed energy performance for the building will be confirmed within this ICCA document and will be presented on the mechanical and/or electrical drawings within the contract documents. The information will be updated as part of the "as-built" preparation and be available as part of the record drawings for the future.

### PASSIVE SOLAR DESIGN MARRATIVE

The 1993 Legislation requires the maximum practical use of passive solar. All design professionals have been exposed to these issues. There is an obligation to include passive solar where reasonable or practical. We accept that some projects are predetermined by the program or the Client Agency on issues of siting, size, shape,p number of stories, material, etc. This may conflict with passive solar design objectives. These issues must be addressed by the designer in his evaluation.

The Schematic Submission <u>shall</u> include a narrative statement by the Architect (or Engineer) that explains this project's opportunities for passive solar design and summarizes his considerations and provide a written summary as to what passive solar systems, if any, will be incorporated.

The narrative will address such issues as Exterior glazing, the buildings orientation, natural lighting, landscaping, solar hot water systems and any other appropriate measures.

# STATE OF CONNECTICUT Department of Public Works 165 Capitol Avenue Hartford, CT 06106

|    | Date Prepared   |
|----|---|
|    | Date DFW Received   |
| A. | Project Data  |
|    | 1. Name 2. Location 3. Project No. 4. State Agency 5. Agency Representative Phone Number 6. Prepared By Phone Number 7. DPW Team Member |
| в. | <u>Building Category</u> - Indicate new construction or renovation, with square footages.   |
|    | New Construction ft <sup>2</sup>  |
|    | Renovation ft <sup>2</sup>  |
|    | Check one of the following:   |
|    | 1. School (State Owned) ()  |
|    | 2. School (State Funded) ()   |
|    | 3. State Owned Building ()  |
|    | 4. Other - (Specify) ()   |
| c. | Occupancy   |
|    | Specify Occupancy Class per 1990 BOCA or NFPA 101   |
|    | *Note: Life Cycle Cost Analysis is required to be submitted along wit   |

incorporate into specifications.

LIFE CYCLE COST ANALYSIS FOR NEW BUILDINGS OR ADDITIONS D. Agency Program Requirements Provide the following: 1. A detailed description of the Scope of Work approved by the Agency. 2. All drawings and narrative requirements shall comply with the "Checklist for Schematic Design" listed in the DPW A/E Procedures Manual.

- E. <u>Energy Goals</u> Energy Goals shall be based on ASHRAE Standard 90.1-1989. Refer to ASHRAE 90.1 1989 User Guide for Guidance. Show which compliance path was chosen. Provide data proving it satisfies the criteria for each section. Comply with all Basic Requirements.
  - 1. Compliance Method Chosen \_\_\_\_\_\_
  - 2. Building envelope shall be in accordance with ASHRAE 90.1 1989 Chapter 8 or 13 dependent on the compliance path chosen.
    - a. Building Envelope Gross Wall Area (or areas by orientation): Fenestration Area (or areas by orientation): Wall Area Below Grade: \_\_\_\_\_ Roof Area: \_\_\_\_\_ Area of Skylights: \_\_\_\_\_ Area Over Unheated Spaces: Fenestration Shading Devices: \_\_\_\_\_ Opaque Wall Heat Capacity: \_\_\_\_\_

Location of Insulation in Opaque Wall: \_\_\_\_\_

| b.              | Description   | Compliance<br>Requirement |             | Actual Installation (For As- Builts) |
|-----------------|---|---------------------------|-------------|--------------------------------------|
|                 | Air Leakage Requirements                                |                           |             | AS- BULLES)                          |
|                 | Moisture Migration Requirements                         |                           |             |                                      |
|                 | Lighting Power Density                                  |                           |             |                                      |
|                 | Equipment Power Density                                 |                           |             |                                      |
|                 | Occupant Load Adjustment                                |                           |             |                                      |
|                 | Projection Factor                                       |                           |             |                                      |
|                 | Percent Fenestration                                    |                           | <del></del> |                                      |
|                 | Penestration Shading<br>Coefficient                     |                           |             |                                      |
|                 | "U" of Fenestration                                     |                           |             |                                      |
|                 | "U" of Glazing  |                           |             |                                      |
|                 | Daylighting Controls<br>Required (Perimeter, Skylights) |                           |             |                                      |
|                 | "U" of Opaque Wall                                      |                           |             |                                      |
|                 | "U" of Roof   |                           |             |                                      |
|                 | "U" of Wall Adjacent to<br>Unconditioned Space          |                           |             |                                      |
|                 | "U" of Floor Over<br>Unconditioned Space                |                           |             |                                      |
|                 | "R" Wall Below Grade                                    |                           |             |                                      |
|                 | "R" Unheated Slabs/Length                               |                           | /           |                                      |
| ٥.              | Compliance Method Chosen Pass _                         | Fail                      | L           |                                      |
| 1. <sup>-</sup> | Has passive Solar been maximized program requirements   | for this but              |             |                                      |
| ⊋.              | Describe how this building design considerations.       | n maximizes p             | passive Sol | ar<br>                               |
|                 |   |                           |             |                                      |
|                 |   |                           |             |                                      |
|                 |   |                           |             |                                      |

- f. If the passive Solar design exceeds ASHRAE 90.1 requirements provide the following on a separate page:
  - 1. Capital Costs of implementing the Solar requirements.
  - 2. Net energy savings from winter heat gain versus summer cooling gain.

| 3. | Aux | iliary Systems and Equipment<br>required per project  |                                  |             |  |
|----|-----|---|----------------------------------|-------------|--|
|    |     | <u>Description</u>  | Compliance<br>Requirement        |             | Actual<br>Installation<br>(For<br>As Builts) |
|    |     | Transportation Systems  |                                  |             |  |
|    |     | Freeze Protection System  |                                  |             |  |
|    |     | Retail Food/Restaurant<br>Refrigeration   |                                  |             |  |
|    | b.  | Compliance Method Chosen Pass_  | F                                | ail         |  |
| 4. |     | hting <u>Loads</u> - shall comply with (<br><u>Exterior Lighting</u><br>Designed Levels of Illumination |                                  |             |  |
|    | b.  | <u>Description</u>  | Compliance<br><u>Requirement</u> |             | Actual Installation (For As Builts)          |
|    |     | Illuminated Area(s)   |                                  |             |  |
|    |     | Unit Power Allowance(s)   |                                  |             |  |
|    |     | Exterior Lighting Power<br>Allowance (ELPA)   |                                  |             |  |
|    |     | Connected Exterior Lighting<br>Power  |                                  |             |  |
|    |     | Controls  |                                  |             |  |
|    | * C | onnected Exterior Lighting Power  | shall be les                     | s than or e | qual to ELPA                                 |
|    | c.  | Interior Lighting   |                                  | -           |  |
|    |     | Designed Levels of Illumination:  |                                  |             |  |

| đ.            | Description  | Compliance<br>Requirement    |                           | Installation (For As-Builts) |
|---------------|--|------------------------------|---------------------------|------------------------------|
|               | Gross Lighted Area   |                              |                           |                              |
|               | Listed Space Area(s)   |                              |                           |                              |
|               | Unlisted Space Area(s)   |                              |                           |                              |
|               | Area Factor(s)   |                              |                           |                              |
|               | Unit Lighting Power Allowance(s)   |                              |                           |                              |
|               | Interior Lighting Power<br>Allowance (TLPA)  |                              | _ <del></del>             |                              |
|               | Connected Lighting Power (CLP)   |                              |                           |                              |
|               | Lighting Wattage Controlled  |                              |                           |                              |
|               | Power Adjustment Factor(s)   |                              |                           |                              |
|               | Lighting Power   |                              |                           |                              |
|               | Control Credits (LPCC)   |                              |                           |                              |
|               | Adjusted Lighting Power (ALP)  |                              |                           |                              |
| * CLP or AL   | P shall be less than or equal to<br>Control Points<br>Control(s) and Equivalent<br>Control Points  | ILPA<br>                     |                           |                              |
| e.            | Compliance Path Chosen Pass  | Fail                         | ·                         |                              |
| 5. <u>HVA</u> | $\underline{C}$ - shall comply with Chapter 9 o  | f ashrae 90.                 | 1–1989.                   |                              |
| a.            | Provide Heating and Cooling Bloc<br>procedures described in ASHRAE h<br>the following criteria.  | k load calcu<br>andbook 1985 | lations bas<br>Fundamenta | ed on<br>Is Volume and       |
|               | 1. Cooling loads 2. Heating loads 3. Lighting loads 4. Envelope loads 5. Outdoor ventilation rates ba 6. Energy recovery systems ener 7. Pick up loads 8. Process/other loads 9. Safety factor | sed on ASHRA<br>gy savings i | E Standard<br>n BtUH      | 62                           |

| b. | Indoor Design Conditions - In a<br>Fundamentals Volume                    | ccordance with ASHRAE 19                        | 985                 |  |  |  |  |  |
|----|---|---|---------------------|--|--|--|--|--|
|    | 1. Summer db wb Winter  | rdb <u>w</u> b                                  |                     |  |  |  |  |  |
|    | 2. Set back times and temperat  | ures  | <u> </u>            |  |  |  |  |  |
|    | <ol> <li>Identify any areas which var<br/>operating schedules.</li> </ol> | ry from normal design co                        | nditions or         |  |  |  |  |  |
| c. | Outdoor Design Conditions - in a<br>Fundamentals Volume.                  | accordance with ASHRAE 1                        | L985                |  |  |  |  |  |
|    | 1. Summer db wb Win<br>Compliance Final Actual                            | nter db <u>w</u> b                              |                     |  |  |  |  |  |
| đ. | Description   | Requirement Design                              | <u>Installation</u> |  |  |  |  |  |
|    | Duct Insulation   |   |                     |  |  |  |  |  |
|    | Pipe Insulation   |   |                     |  |  |  |  |  |
|    | Leakage Rates   |   | <del></del>         |  |  |  |  |  |
|    | System(s) Cooling Capacity  |   |                     |  |  |  |  |  |
|    | System(s) Fan Capacity  |   |                     |  |  |  |  |  |
|    | Economizer  |   |                     |  |  |  |  |  |
|    | Fan Power Requirement (w/cfm)   |   | <u></u>             |  |  |  |  |  |
|    | Fan Power Control<br>Requirements   |   |                     |  |  |  |  |  |
|    | Piping System Friction<br>Loss Requirements                               |   |                     |  |  |  |  |  |
|    | Pumping System Control Requirements                                       |   |                     |  |  |  |  |  |
|    | HVAC Equipment(s) Efficiency<br>Requirements at Full and Part             | Load//  |                     |  |  |  |  |  |
| e. | Compliance Path Chosen Pass   | Fail  |                     |  |  |  |  |  |
|    | vice Water Heating Loads - shall<br>1-1989.                               | comply with Chapter 11                          | of ASHRAE           |  |  |  |  |  |
| a. | Provide estimated load calculat<br>Handbook 1987 HVAC Systems and         | tions in accordance with<br>Applicators volume. | ASHRAE              |  |  |  |  |  |
|    | Set Points  |   |                     |  |  |  |  |  |

6.

|    |                   |                                   | LII                                      | FE CYCL  | e cost <i>i</i>                                      | NALYSIS   | FOR NEW   | Comoli                                | INGS (                             | R ADDI.<br>Final | TIONS                 | Actual  |
|----|-------------------|-----------------------------------|--|--|--|---|---|---------------------------------------|------------------------------------|------------------|-----------------------|---|
|    |                   | b.                                | Des                                      | criptic  | <u>m</u>   |   |   |                                       |                                    |                  |                       | <u>Installation</u>                                     |
|    |                   |                                   |  | Equip  | ment Eff   | iciency   |   |                                       |                                    |                  | -                     |   |
|    |                   |                                   |  | Storag   | je Insul   | ation   |   |                                       |                                    |                  | -                     |   |
|    |                   |                                   |  | Pipe I   | insulati   | on.   |   |                                       | <del></del>                        |                  | •                     |   |
|    |                   |                                   |  | Contro   | ols  |   |   |                                       |                                    |                  | -                     |   |
|    |                   |                                   |  | Pool (   | lovers   |   |   |                                       |                                    | · <del></del>    | -                     |   |
|    |                   |                                   | c.                                       | Compli   | iance Pa   | th Chos   | en Pass   |                                       |                                    | Fail_            |                       |   |
|    | 7.                |                                   |  |  | ment Sys   |   |   |                                       |                                    |                  |                       |   |
|    |                   | Cag                               | pabil                                    | lities _   |  |   |   |                                       |                                    |                  |                       |   |
|    |                   | Fur                               | ctic                                     | xns:   |  | ······  |   | <u></u> .                             |                                    |                  |                       |   |
|    |                   | Equipment Controlled:             |  |  |  |   |   |                                       |                                    |                  |                       |   |
|    |                   | Mor                               | nitor                                    | ring: _  |  |   |   |                                       |                                    |                  |                       |   |
|    |                   |                                   | Con                                      | pliance  | e Path C   | hosen   | Pass  |                                       | Fail_                              |                  |                       |   |
| F. | wit<br>bui<br>Use | h th<br>ldir<br>ack<br>Hex<br>wil | neir<br>ng de<br>ditio<br>ating<br>11 no | mode or<br>esign.<br>onal pag<br>g System<br>ot be a | Foperat<br>Design<br>ges if r<br>n - Sola<br>ecepted | cion and<br>shall a<br>required<br>ar, Elec<br>unless | lhow it<br>dhere to<br>l.<br>tric hea<br>authoriz | may or<br>ASHRAI<br>t pump<br>ed by 1 | may r<br>2 90.1<br>or El<br>the Ch | ectric           | efit<br>and B<br>resi | in detail the proposed OCA 1990. stant heating r of the |
|    |                   | Deg                               | partn                                    | ment of  | Public   | Works I   | esign an  | d Revie                               | ≅w.                                |                  |                       |   |
|    | *                 | Ver<br>or                         | coul                                     | ation —<br>ld be a                                   | Ventila<br>stand a                                   | ntion ca<br>nlone sy                                  | n be pro<br>stem.                                 | vided (                               | throug                             | nthe n           | main :                | HVAC system,  |
|    |                   | a.                                | Bas                                      | se Syst  | em   |   |   |                                       |                                    |                  |                       |   |
|    |                   |                                   |  |  |  |   |   |                                       |                                    |                  |                       |   |
|    |                   |                                   |  | _  |  |   |   |                                       |                                    |                  |                       | <del></del>   |
|    |                   |                                   |  |  |  |   | <u></u>   |                                       |                                    |                  |                       |   |
|    |                   | b.                                | Alt                                      | temate<br>   | 1  |   |   |                                       |                                    |                  |                       | . <del></del>   |
|    |                   |                                   |  | _  |  |   |   |                                       |                                    |                  |                       |   |
|    |                   |                                   |  | _  |  |   | ***   |                                       |                                    |                  |                       | <del></del>   |
|    |                   | c.                                | Ali                                      | temate   | 2  |   |   |                                       |                                    |                  |                       |   |
|    |                   |                                   |  | _  |  |   |   |                                       |                                    |                  |                       |   |
|    |                   |                                   |  | _  |  |   |   |                                       |                                    |                  |                       |   |
| -  |                   |                                   | /OF5                                     |  |  | D2/   | E 11 OF   | 17                                    |                                    | 2/1/9            | 6                     |   |
|    |                   |                                   | (257)<br>cost                            | )<br>t maste   | r  | PAL   | TT OL   | <b>-</b> '                            |                                    | 2/1/2            | •                     |   |

| 2. | unl<br>Wor | ess<br>ks D  | ditioning - Window units, or heat pumps will not be accepted<br>authorized by the Chief Engineer of the Department of Public<br>esign and Review. One system shall be electric and at least one<br>e Natural Gas. |
|----|------------|--------------|---|
|    | a.         | Bas          | e System  |
|    |            |              |   |
|    |            |              |   |
|    |            |              |   |
|    |            |              |   |
|    |            |              |   |
|    | b.         | Alt          | emate 1   |
|    |            |              |   |
|    |            |              |   |
|    |            |              |   |
|    |            |              |   |
|    |            | _ <b>_</b> . |   |
|    | c.         | Alte         | mate 2  |
|    |            |              |   |
|    |            |              |   |
|    |            |              |   |
|    |            |              |   |
| 3. | Don        | esti         | c Hot Water - Compare:  |
|    | a.         |              | tralized system with distribution piping and recirculation (if uired) with electric, gas or dual fuel.  |
|    | b.         | Dec          | entralized Systems - HWH serving each floor or group of toilets.  |
|    | c.         | Poi          | nt of Use - serving each/or group of fixtures.  |
|    |            | 1.           | Base System   |
|    |            |              |   |
|    |            | 2.           | Alternate 1   |
|    |            | 3.           | Alternate 2   |
|    |            |              |   |

4. Lighting - One of the systems shall be part of an Energy Program either

| a.         | Bas             | e Syst                                 | em _                 |
|------------|-----------------|--|----------------------|
| b.         | Alt             | emate                                  | -<br>- 1 -           |
| c.         | Alt             | emate                                  | -<br>2 _             |
|            |                 |  | -                    |
| Des<br>eac | sicca<br>th pro | Conser<br>nt sys<br>oject j<br>g could | tems<br>prov<br>d us |
| Des<br>eac | sicca<br>th pro | nt sys:<br>oject j                     | tems<br>prov<br>d us |
| Des<br>eac | sicca<br>th pro | nt sys:<br>oject p<br>g could          | tems<br>prov<br>d us |

- G. <u>Capitol and Construction Costs</u> Include cost estimates for all systems in accordance with the appropriate "Means Data Cost" latest edition.
- H. Annual Energy Consumption All equipment efficiencies shall be in compliance with Chapter 5 and 10 ASHRAE 90.1-1989 or BOCA 1990.. which ever is most stringent and shall be used in calculating fuel usage.

Provide the following:

- 1. <u>Calculations</u> showing the base system and alternate system's energy usage based on the following:
  - a. Electrical Consumption broken down between lighting, motors, heaters, etc.
  - b. Oil Consumption
  - c. Gas Consumption

### 2. Utility Rates

- a. Energy Costs based on published rates by the Utility or existing Agency billings. Provide Utilities rate structures.
- b. Energy Sources shall include:
  - 1. Gas (firm rate) \_\_\_\_\_per CCF 2. Gas (Interruptable rate)\_\_\_\_ per CCF. Include rules and regulations for the interruptible rate.
  - 3. Electric \_\_\_\_\_per KW
  - 4. District Heating \_\_\_\_\_ per 100 MEH 5. District Cooling \_\_\_\_ per ton hr.

  - 6. Central boiler plants for University, Hospitals, etc. shall be utilized unless they can be proven not to be cost effective. Costs shall be based on actual cost for producing and transporting 100 MBH. \_\_\_\_\_per 100 MBH.
- Include any utility incentive programs at this time with a letter of intent from the utility company.

### I. Annual Operating and Maintenance Costs

1. Provide estimated costs based on existing facility records and or manufacturers recommendations.

|   | Systems                    | Heating | Ventila-<br>tion | Air<br>Cond. Ligh | Hot<br>ting | Water |
|---|----------------------------|---------|------------------|-------------------|-------------|-------|
|   | Base<br>System             | yr.     | yr.              | yr.               | yr.         | yr.   |
| Useful<br>Life                            | Alter.#1                   | yr.     | yr.              | yr.               | yr.         | yr.   |
| (years)                                   | Alter.#2                   | yr.     | yr.              | yr.               | yr.         | yr.   |
| Total                                     | Base<br>System             | \$      | \$               | \$                | \$          | \$    |
| Initial<br>Capital                        |                            | \$      | \$               | \$                | \$          | \$    |
| Cost \$                                   | Alter.#2                   | \$      | \$               | \$                | \$          | \$    |
| Annual                                    | Base<br>System             | \$      | \$               | \$                | \$          | \$    |
| Energy<br>Cost \$                         | Alter.#1                   | \$      | \$               | \$                | \$          | \$    |
|   | Alter.#2                   | \$      | \$               | \$                | \$          | \$    |
| Annual<br>Energy (<br>sumption<br>(BIU or | n Alter.#1                 |         |                  |                   |             |       |
|   | Base<br>System             | \$      | \$               | \$                | \$          | \$    |
| Labor &                                   |                            | \$      | \$               | \$                | \$          | \$    |
| Maintai<br>Cost<br>(\$)                   | nance<br>Alter.#2          | \$      | \$               | \$                | \$          | \$    |
|   | resent Base<br>f 20 System | \$      | \$               | \$                | \$          | \$    |
| (4)                                       | Alter.#1                   | \$      | \$               | \$                | \$          | \$    |
|   | Alter.#2                   | \$      | \$               | \$                | \$ .        | \$    |
| Total                                     | Base<br>System             | \$      | \$               | \$                | \$          | \$    |
| Annual<br>Costs                           | Alter.#1                   | \$      | \$               | \$                | \$          | \$    |
| (\$)                                      | Alter.#2                   | \$      | \$               | \$                | \$          | \$    |

# LIFE CYCLE COST ANALYSIS

| Ty       | pe of System:   | Life Cycle: <u>20</u> Years<br>Discount Rate <u>10</u> % |  |   |
|----------|---|--|--|---|
| Lo       | cation:   |  | -  | <u></u>                                   |
| Ar       | chitect/Engineer:                                     |  | -  |   |
|          |   | Danie G allera   | *1 #1                                      | 21toto #2                                 |
| ==:      |   | Base System  | Alternate #1                               | Alternate #2                              |
| A.       | INITIAL COSTS   |  |  |   |
|          | 1. Base Cost  | \$<br>\$   | \$<br>\$                                   | \$<br>\$                                  |
|          | 2. Other Costs  | \$   | \$   | Ş   |
|          | Examples:   |  | ı.   |   |
|          | a. Additional const                                   |  | <i>ት ት ት ት</i>                             | \$ \$ \$ \$ \$                            |
|          | b. Additional Plumb                                   | ning S   | Ş  | Ş   |
|          | c. Additional Elect                                   |  | Ş  | Ş   |
|          | d. Additional Mecha                                   |  | \$   | <b>\$</b>                                 |
|          | e. Natural Gas/Oil                                    |  | . بنم                                      | بخ  |
|          | Installation 3. Total Initial Cost                    |  | ۶<br>د                                     | ş   |
|          | 4. Difference   | \$   | \$<br>\$<br>\$                             | ጭ ጭ ጭ                                     |
| ==:      | 4. Dillelelee   | Y<br>:====================================               | Y<br>.==================================== | Y<br>==================================== |
| в.       | ANNUAL OPERATING AND MAINIENANCE COSTS                | <i>*</i>   | <b>*</b>                                   |   |
|          | 1. Fuel Cost  | <b>&gt;</b>  | <b>&gt;</b>                                | <u>ې</u>                                  |
|          | 2. Operating Labor Cost                               | \$<br>\$<br>\$   | \$<br>\$<br>\$                             | <b>ም</b> የ                                |
|          | 3. Maintenance Cost                                   |  | Ş  | Ş   |
|          | 4. Other Operating Costs                              | ٠ - خ  | خ  | ¢   |
|          | a.<br>b.  | ٠<br>خ   | 2  | 4   |
|          | c.  | \$<br>\$<br>\$   | \$<br>\$<br>\$                             | ጭ ጭ ጭ                                     |
|          | 5. Total Annual Fuel Ope                              | <b>T</b>   | Y  | 4   |
|          | and Maintenance Cost                                  |  | \$   | \$  |
|          | 6. Present Worth of Oper                              |  | 7  | •   |
|          | Maintenance Costs                                     |  |  |   |
|          |   | Present Worth 20 Yea                                     | ers 10%)                                   |   |
|          | (Costs) (8.51355                                      | 5) = \$  | \$   | \$  |
| ==:      |   |  |  |   |
| C        | TOTAL PRESENT WORTH OF 20                             | VEARS  |  |   |
| <b>.</b> | 1. Initial costs                                      | \$   | <  | Š   |
|          | 2. Operating and Mainte                               |  | Š  | \$<br>\$                                  |
|          | 3. Total Present Worth                                |  | \$<br>\$<br>\$                             | \$  |
| ===      |   | =======================================                  | · · · · · · · · · · · · · · · · · · ·      |   |
| D.       | TOTAL UNIFORM ANNUAL COST<br>(Total Present Worth)(Un |  | ery 20 Years 10%)                          |   |
|          | (Mohol Descent March 17                               | 11746\ C   | خ  | ć   |
|          | (Total Present Worth) (0.                             | TT (40) = 5  | \$   | \$  |

### SUMMARY AND SIGN-OFF PAGE

The Format and Procedures as summarized below were used to demonstrate the design complies with the Energy Standards, BOCA and ASHRAE 90.1-1989, as adopted by the State of Connecticut.

| I.   | The maximum practicable Passive<br>Solar has been provided.<br>a. Required Narrative Attached                               | <u>YES NO</u> | <u>Compliance</u><br>Prescriptive<br>Criteria |          | ost              |
|------|---|---------------|---|----------|------------------|
| II.  | The Lighting System is in Compliance  | e             |   |          |                  |
| III  | .The Bldg. Envelope is in Compliance  | ·             |   |          |                  |
| IV.  | The HVAC System is in Compliance.   |               |   |          | _                |
| V.   | The Service Water Heating is in Compliance  |               | _   |          |                  |
| base | ject in accordance with the ASHRAE 9 ed on my review of the LCCA, the desthis project.  Name of Professional Engineer (plea | ign drawir    | ines. This cengs and the sum  Compan          | mary com | ion is putations |
|      | Signature   |               | Date  | P.E.     | #                |
|      |   |               |   |          |                  |

# DPW Project Number:\_\_\_-LIFE CYCLE COST ANALYSIS DETERMINATION FORM

# STATE OF CONNECTICUT Department of Public Works

|            | 165 Capitol Ave   |  |
|------------|---|--|
|            | Hartford, CT 0  |  |
| Sub        | mittal Date I   | Date DFW Received                                  |
| A.         | PROJECT DATA:  1. Name  |  |
|            | 2. Location   |  |
|            | 3. Project No.  |  |
|            | 4. State Agency   |  |
|            | 5. Agency Representative  | Phone Number                                       |
|            | 6. Architect/Engineer   | ·,   |
|            | 7. DFW Team Manager   | Phone Number                                       |
| B.         | Name and Phone # of person preparing this   | form   |
| c.         | <u>Building Category</u> - <u>Indicate</u> new construct with square footages.        | cion, additions or renovation                      |
|            | New Construction ft <sup>2</sup> Ac   | Milition ft <sup>2</sup>                           |
|            | Renovations ft <sup>2</sup>   |  |
| Che        | ck one of the following:  |  |
|            | 1. School (State Owned) ( )   | 2. School (State<br>Funded) ( )                    |
|            | 3. State Owned Building ( )   | 4. Other — Leased,<br>Design Build—Turnkey.<br>( ) |
| D.         | Occupancy<br>Use Group or Occupancy Class per NFPA 101                                | , .  |
| E.         | Agency Program Requirements Provide the following:                                    |  |
|            | 1. Describe scope of work in sufficient de  | etail as approved by the Agency:                   |
|            |   |  |
|            |   |  |
|            |   |  |
|            | (attach separate form if not enough space   | to describe)                                       |
| Bel<br>The | ow to be filled out only by Public Works<br>Project listed above will (will not) requ | ire a Life Cycle Cost Analysis.                    |
| Chi        | ef Engineer   |  |
|            | Eng File<br>Team File   |  |
|            | TEGIII FITE   |  |